



To introduce our company Shri

Tapodhani Aluminium Trading Company

(STATC) - the foundation of the company was

laid by Sh. Nand Kishore Jain in 1972 who endeavoured

to think the unthinkable-to become a leading stockiest in

Indian Aluminium Rolled Product.

Tapodhani sought to create resources for Industries, livelihood for future generations, benchmark for upcoming corporations, works ethics that stay relevant in this dynamic world.

Tapodhani is a Leading Stockiest, Distributor And Importer of North India.

We Deal in

Aluminium Rolled Product

Aluminium Profiles

Aluminium Ingots

Aluminium Wire Rods

Stainless Steel Rolled Products

Tapodhani is authorized distributor of Hindalco industries Itd, Balco Ltd., Nalco Ltd. and Virgo Aluminium Ltd. and also consignment agent of Jindal steel Itd. Our keen knowledge of the aluminium industries has helped us to develop solutions to cater the needs of today's client. Tapodhani focuses on Quality and Customer satisfaction. Tapodhani deals in various industries like Thermal insulation, Ceiling fan blade, Hepa filter, Pressure cooker and utensils, Auto parts, Metal components, Building door- window fabricators, Expansion joint, L.E.D Bulb, Aluminium expandable Mesh, Speaker horn, Eyelet, Mask Nose Pin, Roofing Industries, Transportation Industries, Ply board industries and many more.

Brand We Deal With



























Aluminium Sheets:	
Thickness	0.60 To 4.75 in mm.
Width	1524.00 mm Maximum Width Available.
Length	As Per Customer Specifications.
Alloys	8011,1050,1060,1070,1100,1200,3003,3103,
	3105,5052,5083,5754,6061,6082.
Tempers	H12,H14, H16,H18,H32,H111,H113,H116,T4,T6.






Aluminium Coils:		
Thickness	0.20 To 3.00 in mm.	
Width	1524.00 mm Maximum Width Available.	
Alloys	8011,80118,1050,1060,1070,1100,1200,3003,	
	3103,3105,5052,5754.	
Tempers	H12,H14, H16,H18,H32.	

Aluminium Plates:	
Thickness	5.00 To 4.00.00 in mm.
Width	1524.00 mm Maximum Width Available.
Length	As Per Customer Specifications.
Alloys	8011,1200,2014,5052,5083,5754,6061,6082,
	6351,7075.
Tempers	F,M,T4,T6.




Aluminium Chequered Sheet:	
Thickness	0.46 To 8.00 in mm
Width	1524.00 mm Maximum Width Available.
Length	As Per Customer Specifications.
Alloys	8011,3105,6082,6351.
Tempers	H18,H32,T6.





Aluminium Foil Stock:	
Thickness	0.20 To 0.40 in mm.
Width	1524.00 mm Maximum Width Available.
Alloys	8011,8009,1100,1235.
Tempers	H14,H24.

Aluminium Corrugated Sheet:	
Thickness	1.22 To 0.46 in mm.
Width	1220.00 mm Maximum Width Available.
Length	1500.00 mm to 6500.00 Length.
Alloys	8011,1200,3105.
Tempers	H14,H18.
Design Avl	Industrial Design, Circular Design,
	Trafford Design, Hi-Crest Design.
Surface	Plain, Stucco, Colour Coated.



Aluminium Wire Rod:	
Thickness	9.5 or 12.00 in mm.
Width	Coil Form.
Alloys	CG and EC.
Tempers	O.





Aluminium Ingot:

Alloys EC Grade and ADC12 Ingot Wgt. 12.00 Kg and 24.00 Kg

Aluminium Extrusions:	
Width	350.00 mm Max
Length	24.00 feet Max
Alloys	2014,6061,6082,6063,7075.




Aluminium Polysurlyn Coated Coils:	
Thickness	1.22 To 0.56 in mm.
Width	1220.00 mm Maximum Width Available.
Coating	3.00 Mil
Alloys	8011,3003,3103.
Tempers	H14,H16






Aluminium Reflective Sheet:	
Thickness	0.71 To 0.30in mm.
Width	1220.00 mm Maximum Width Available.
Length	2440.00 Maximum Available.
Alloys	8011,1050,3003,3103.
Tempers	H14.
Reflectivity %	95.00%

Aluminium Foils:	
Thickness	0.004 To 0.19 in mm.
Width	1220.00 mm Maximum Width Available.
Length	Coil Form.
Alloys	8011,1235,3003,5052.
Tempers	H14,F,O.



Aluminium Circles:	
Thickness	0.71.00 in mm To 6.35 in mm.
Diameter	102.00 to 1220.00 mm Available.
Shape	Round and Oval
Alloys	1050,1070,1200,3003,3103,8011,3103DAQ,
	3103SDAQ,5251,6082.
Tempers	O,H14,H16,H18.





Aluminium PCB Entry Sheets:		
Thickness	0.15 To 0.28 in mm.	
Width	1250.00 mm Maximum.	
Length	2000.00 mm Maximum.	
Alloys	8011,1050,3105.	
Tempers	H18.	

Aluminium Litho Stock:		
0.18 To 0.40 in mm.		
640.00 To 1150.00 mm Maximum.		
400.00 To 1800.00 mm Maximum.		
1050		
H14,H18.		



www.tapodhani.in ______09

Stainless Steel Sheet and Coils:		
Thickness 0.56 mm to 10.00 mm		
Width	1500.00 mm Max	
Length	3000.00 mm Max	
Grade	202,304,316	





G I Earthing Strip		
Thickness	2.00 mm to 10.00 mm.	
Width	150.00 mm Max.	
Length	6.00 meters Max.	
Alloys	120.00 micron.	




Facilities Available

- Sheet Cutting Machine up to 1220.00 mm Width and up to 3.00 mm Thickness.
- Plate Cutting Machine up to 3058.00 mm Width and up to 10.00 mm Thickness.
- Plate Cutting through Special Machine up to 400.00 mm Thickness.
- Slitting Coils Machine up to 1250.00 mm coil width and minimum Slit up to 4.00 mm.
- Protective layer coating Facility for Sheets and Coils.
- Corrugation Machine For roofing Sheet.
- Polysurlyn and Kraft paper coating facilities available.
- Perforated Machine for Aluminium and S.S Sheet Coil Perforation.
- Expanded Mesh Machine up to 1524.00 mm Width and up to 1.22 mm thickness.
- Anodizing and Powder Coating Facilities Available for Sheet , Coils and Extrusion.
- Galvanized Coating Available For Iron Strip.
- Spectro Machine Available.
- More Than 400.00 MT Aluminium Stock Available.
- Warehouses With Crane Facilities.
- Direct Plant Dispatched Available.
- NBCC Bank Finance Available.
- Letter of Credit for Payments Available.
- Die Making Facilities for Aluminium Extrusion.
- Aluminium Components for Various Industries.
- Aluminium Hardware Fittings.
- LRBMattress for Thermal Insulation.
- Pen Head Screws.
- Tapodhani Retails for Retail Material







CORPORATE OFFICE:

Shri Tapodhani Aluminium Trading Company. Xv 2758-59 Street No.6 Chuna Mandi, Pahad Ganj, Delhi-110055.

Mr. Narender Kumar Jain (Director). +91-9811049727

Mr. Lokesh Kumar Jain (CMO). +91-9312401178

Mr. Ravinder Jain (Marketing and Sales Head). +91-9911087778

Office: 011-23588567, 011-45668567

Email Id: bestbuyaluminium@gmail.com

Web Site: www.tapodhani.in